

11-890

General Paint.

Quick Dry Non-Skid Safety Coating

INTENDED USES:

A highly textured non-skid coating designed to provide secure footing.

PRODUCT DESCRIPTION:

A quick drying, modified alkyd vehicle pigmented with durable, light-fast pigments and non-siliceous aggregate.

TECHNICAL INFORMATION:

Finish:

Flat

Tint Range:

Medium and dark colours

Theoretical Coverage:

14-21 m²/3.7L (150-225 ft²/3.7L)

Typical Specific Gravity:

1.4

Application Thinner:

Not required

Standard Colours:

11-890 Grey, 11-895 Accent tint base

Recommended # of coats:

1-2 at recommended coverage

Typical Volume Solids:

56%

Flash point:

41°C (106°F)

Clean-up Thinner:

Toluene

SURFACE PREPARATION:

Surfaces must be clean, dry and free from dust, grease, mildew and wax. Remove any loose and peeling paint and repair.

Prime as required.

New Wood: Thin first coat 10-15% and then apply at least two topcoats as supplied (without thinning).

Previously Painted Surfaces: Glossy surfaces should be sanded to a dull finish to provide good adhesion.

Metal and Other Surfaces: Consult your GP Paint Pro.

APPLICATION:

Roller or brush.

Airless Tips: N/A

Dry times at 21°C / 70°F and 40%-60% R.H.:

To Touch:	20-30 minutes
To Handle:	3-4 hours
To Overcoat:	18 hours minimum

PRODUCT HAZARDS SAFETY INFORMATION:

See Material Safety Data Sheet for complete Health and Safety information.

Flammable: This product is flammable. Do not smoke when using this product and ensure that there are no ignition sources (i.e. pilot lights, gas appliances, power tools and other electrical devices) in the area of use. Do not use in confined areas without the proper safety precautions/equipment.

ADDITIONAL DATA:

Resistant to splash and spillage of gasoline or diesel fuel or other petroleum products and mild chemicals.

Legal Details

The information contained herein is true and accurate to the best of our knowledge. However, no guarantee or warranty of any kind, express or implied, is given with respect to the accuracy or completeness of the said information and data or to the products described herein and we assume no risk or liability for the performance or coverage of or for injury resulting from the handling, use or application of the said information, data or products.