

INTENDED USES:

High quality clear varnish for use on interior wood. Recommended for doors, furniture, and trim.

PRODUCT DESCRIPTION:

A high quality synthetic resin varnish.

TECHNICAL INFORMATION:

Finish:	Semi-Gloss (25-016)
Standard Colours:	Clear
Tint Range:	N/A
Recommended # of coats:	2-3 at recommended coverage
Theoretical Coverage:	25-33 m ² /3.7L (270-362 ft ² /3.7L)
Typical Volume Solids:	34%
Typical Specific Gravity:	0.9
Flash point:	43°C (109°F)
Application Thinner:	Mineral Spirits
Clean-up Thinner:	Mineral Spirits

SURFACE PREPARATION:

Surfaces must be clean, dry and free from dust, grease, mildew and wax. Remove any loose and peeling varnish.

New Wood: Apply first coat thinned 10% with paint thinner and second coat as supplied.

Previously Coated Wood: Glossy surfaces should be sanded to a dull finish to provide good adhesion.

APPLICATION:

Brush (*preferred), Roller or Spray

Airless Tips: .011" - .015"

Dry times at 21°C / 70°F and 40%-60% R.H.:

To Touch:	2-4 hours
To Handle:	8-12 hours
To Overcoat:	16 hours minimum

PRODUCT HAZARDS SAFETY INFORMATION:

See Material Safety Data Sheet for complete Health and Safety information.

ADDITIONAL DATA:

Two coats recommended and a light sanding is recommended between coats (thorough sanding required if the varnish is allowed to dry 24 hours or more).

Wood fillers and stains may be used under the varnish.

*Brushing recommended because the brushing action will promote penetration of the product into the wood.

If mildew is present, the surface should be washed with a chlorine bleach solution (20% household bleach and 1% liquid detergent in warm water) and thoroughly rinsed prior to painting.

Complies with the requirements of MPI #74.

Product
25-016
Clear Coat
Interior Tru-Rub
Varnish



The information contained herein is true and accurate to the best of our knowledge. However, no guarantee or warranty of any kind, express or implied is given with respect to the accuracy or completeness of the said information and data or to the products described herein and we assume no risk or liability for the performance or coverage of or for injury resulting from the handling, use or application of the said information, data or products.